



**INSULATED ROLLER GARAGE DOORS
& WINDOW SHUTTERS**

**QUALITY & CONVENIENCE
AT THE PUSH OF A BUTTON**





YOUR HOME - YOUR GARAGE - YOUR CHOICE

Vertical insulated roller garage doors are a great choice, when choosing a door that will provide beautiful aesthetics & fantastic curb appeal.

Within the range are the 'Classic 77mm', the brand leading roller garage door, the 'Compact 52mm' for garage openings with reduced head room, and the 'Micro 40mm' continental roller shutter for windows.



VERTIC-AL

ROLLER GARAGE DOORS



QUALITY & CONVENIENCE

PAGE 4

Vertic-al roller garage doors are pure simplicity at the push of a button.



CLEVER CREATION

PAGE 6

A roller garage door created to provide you with the upmost reliability & functionality.



SHUT OUT THE WEATHER

PAGE 8

Bring back the warmth with the Vertic-al insulated roller garage door.



SAFE & SECURE

PAGE 10

Vertic-al roller garage doors are safe & secure providing you with peace of mind.



COLOURS & FINISHES

PAGE 12

A great range of colours & finishes to provide fantastic aesthetics.



VERTIC-AL COMPACT DOORS

PAGE 14

The perfect solution and ideal choice when the headroom is limited.



SPECIFICATION

PAGE 16

Detailing some of the key components that make up the door



OPTIONS

PAGE 18


A wide range of options to personalise your roller garage door.



VERTIC-AL MICRO SHUTTERS

PAGE 20

Providing the ultimate in protection for vulnerable windows.



CHECKLIST

PAGE 21

Standard features and optional extras, choose the door that suits your needs.



SPACE REQUIREMENTS

PAGE 22

Detailing the specification required for both the head and side room

VERTIC-AL



QUALITY & CONVENIENCE At The Push Of A Button

The team at UK Doors Midlands Ltd, possess a wealth of experience, providing an insulated roller door manufactured by experts.

Simplicity at the touch of a button, as all doors are supplied with full remote control capability.

Operating your door has never been so easy by linking via a Somfy Smart Hub. All doors can be personalised to suit the lifestyle of the home owner.

A safe and reliable door, manufactured to order and CE compliant, confirming it is tested as safe to all current legislation.



GREAT AESTHETICS



Smart Home technology has become more & more a part of everyday life, with the ability to control your door from you phone, tablet or PC.

For Vertic-al Smart Home please see options pages 22-23.

PARKING MADE EASY



 TaHoma®

Somfy TaHoma Switch is the easy to install home automation hub that makes controlling your house simple. With TaHoma Switch you can open your blinds, switch off your lights or operate your garage doors all from your phone, tablet or PC.



somfy® Building happiness

CLEVER CREATION

Innovative




Our Vertic-al doors allow you to park within millimeters of the garage door, thus saving space on your driveway.

Whilst vital space on the inside is not hindered, you are free to use the overhead space for storage, clear of any obstructions.

Vertic-al doors are typically installed behind the garage door opening, which increases drive through room width of up to 150mm which helps keep your wing mirrors free of damage.

Traditional garage doors typically swing out reducing the drive depth considerably.

Vertic-al roller garage doors are the perfect solution for those short driveways or garages that back straight onto the road or the main street.



VERTIC-AL



UK
CA CE 2 5 10

VERTIC-AL



SHUT OUT THE COLD Feel The Warmth


Garages can be a cold & draughty place, Vertic-al insulated rollers garage doors are fabricated to provide thermal & acoustic insulation, designed to keep out the cold.

Vertic-al doors are the perfect choice when choosing an insulated garage door, which prevent the cold from penetrating into the garage and surrounding living spaces, especially useful for rooms situated directly above the garage.

The CFC-free polyurethane foam filled aluminium profile used in the Vertic-al range of insulated roller garage doors maximises the energy performance of the door to retain the heat.

Vertic-al guide frames are inclusive of draught excluding brushes to assist the door thus operating quietly and smoothly. A bottom rubber weather seal further enhances the thermal performance of the door.

A workshop, exercise room or playroom, the garage can be a great place to be with a Vertic-al insulated roller garage door, maintaining the room temperature.



A WARM PLACE



Somfy Rollixo RTS system warns against any attempt to force open the garage door via an integral audible alarm system. The panel also includes a push button control and a built on courtesy light



somfy Building happiness

FEEL SECURE



Somfy motors are available as an upgrade to the Vertical drive motor. Somfy motors operate at 17rpm compared to the vertical drive at 15rpm.



Box stiffener adds rigidity to the box cover.

Low level external release allows you to manually open the door in the event of a power failure, if your garage has no other access. Can be provided to mount either through the wall or the guide channel



SAFE & SECURE

Protect Your Garage



Your garage is normally home to valuable items from cars, bikes, fitness equipment, tools and not forgetting that there is often an entrance door from the garage to your home.

A secure garage door is an absolute necessity to ensure all your valuables are safe. The optional Deprat locking devices are one of the most secure systems with steel reinforced locking straps to prevent the door from being forced up.

A Vertic-al insulated roller garage door will protect your home and is alarmed as standard. If an attempt is made to force up the door from the bottom, a sensor triggers a piercing 105dB alarm on the door panel, to deter any would-be intruders.

Vertic-al insulated roller doors are remote controlled as standard, and with no visible handle or locks to pick, its very difficult for unwanted visitors to gain entry into your garage.



VERTIC-AL



UK
CA CE 2 5 10

CLASSIC COLOURS - Popular classic colour collection. A high grade powder coated satin finish




COTSWOLD RANGE - A fantastic collection of smooth powder coated shades with a subtle satin finish



LAMINATED FINISHES - Textured colours provide an attractive yet subtle texture that also improves durability



LAMINATE WOOD - Attractive laminated wood finishes, with a subtle texture to provide authentic aesthetics.



SPOILT FOR CHOICE



Bespoke colour finishes in any available RAL or BS reference, are available upon request.

Important: The colours shown here are for illustration purposes only and limited by the printing process. Please ensure you have seen a sample of your selected colour.

There may be a slight shade and sheen difference between the door curtain and the bottom slat and other parts of the door such as the guides and the door housing box, due to the different coating processes required for each element.

Over time some marking to the door curtain inside and out will occur in the course of operation. This is normal for all types of roller door.



GREAT THINGS COME
IN SMALL PACKAGES



Somfy smooove origin wall switches allows you to wirelessly control your connected Somfy products with the touch of a button and thanks to the neutral colour finish, this contemporary switch will blend seamlessly into your interiors.

somfy® Building
happiness

VERTIC-AL COMPACT

Small & Compact



The Vertic-al compact insulated roller garage door has been created for garages with limited space above the opening.

With the use of a 52mm deep - 13.5mm thick profile, allowing for a tighter coil, thus requiring only 205mm of headroom, providing home owners with limited space the option of a great quality roller garage door, remote controlled as standard.

Extremely adaptable the Vertic-al compact insulated roller door can be installed in-front of, behind or within the garage opening.

With a wide range of sizes available upto 3000mm wide, with a neat 90 degree fascia to conceal the curtain, and an optional 45 degree fascia canopy to completely encase the head of the door and complete the overall appearance.

Vertic-al 77mm Profile



Vertic-al 52mm Profile

VERTIC-AL





ROLL SMART SYSTEM

Innovative

Roll-Smart Remote Control with Intelligent, Next-Gen Obstacle Detection.

A totally innovative, next generation safety system. Designed to deliver unbeatable safety performance in real-world situations

A slimline Roll-Smart track is fitted to the back of the roller door guide. The track is equipped with state of the art electronics, which together with a bottom slat mounted magnetic sensor, enables the system to scan the closing movement. It is incredibly effective and detects people, cars and other obstructions within the doorway, safely reversing the closing movement

Compliant with the latest CE Marking and Radio Equipment Directives.

The Roll-Smart track is fully sealed to category IP65. It is extremely reliable and being hard wired there is no requirement for batteries, allowing for low maintenance, trouble free operation year after year

Roll-smart uses standard bottom weather seals without the need for expensive and vulnerable electrical contact strips /optical beams and is not affected by rough or uneven garage floors

'Keeloq' rolling code technology secures the system from criminal "code grabbing"

The control features a new 28 watt halogen courtesy light system, door status LED indicator and control button to operate the door from inside the garage.

Up to four button key fobs are available enabling control of up to four doors from a single key fob

A single Roll-Smart track is all that is required for doors up to 3.8m wide and two Roll Smart tracks for double width doors. A photo electric cell can also be fitted for doors requiring auto timed closure



SCAN ME

SECURE



An optional alarm module, mounted adjacent to the wall console, emits a piercing 100Db siren, when the door is forcibly lifted from the closed position.



The Teleco remote control system is also available as an optional extra

ANSA

UK CE 2 5 10



SPECIFICATION Door Detail



Auto-lock devices hold the door securely closed, with a felt surrounding the locking rings ensuring that it will have a smooth operation and minimise wear and tear.

Full box options are available, that protects the mechanism from the elements and ensures it will continue to look great year after year.

Most solid colours and many wood effect finishes are available for the box covers.



The powerful 240V tubular motor which is concealed inside the barrel system of the door, ensures fast and quiet operation, whilst the intelligent optical eye safety edge sensor situated in the bottom rubber detects and stops the door upon hitting an obstruction.

Doors weighing 20kg and above are inclusive of a safety brake which will hold the door in position if the tubular motor fails.



GREAT PERFORMANCE

BEHIND FIX



BETWEEN FIX



IN FRONT FIX

GREAT VISION



Alphanumeric wireless keypad, surface mounted with anti-vandal capabilities. Battery powered, 2 channel, with push buttons and an illuminated back light. Can be mounted externally.



WINDOW SHUTTERS

Small Is Beautiful




Vertic-al micro is a stylish aluminium security shutter which is an effective solution to increase security on your home.

The Vertic-al micro can be installed internally or externally and is fabricated with either solid or vented profiles, to allow light to pass through when the shutter is partially open, which provides shade when it is a bright sunny day.

The Vertic-al micro can be controlled remotely by handset, wall switch or with Smart Home run routines, such as "leaving home" or the "sun is out" straight from your smartphone, tablet or PC.

The slim profile and high grade finish of our compact box section provides an uncluttered look which blends discretely with your home.

VERTIC-AL



UK
CA CE 2 5 10



SMART HOME OPTIONS

Convenience

Somfy Smart Home provides you with the ability to monitor and operate your garage doors, shutters, curtains, lights, heating and electrical equipment with your smart phone, tablet or PC giving you peace of mind and flexibility, wherever you are.

You can adapt the Somfy smart home system to suit your personal preferences, allowing you to keep a watchful eye on your home with motion detectors and cameras.

Somfy TaHoma Switch hub is the heart of your smart home which links you to your home via the intelligent TaHoma app. Products can be added to suit your needs or budget and can be installed and operated with the greatest of ease.





Compatible with:-



amazon alexa



Google Assistant



HOW SMART



 TaHoma®






CHECKLIST

	Vertic-al Classic	Vertic-al Compact	Vertic-al Micro
Key Characteristics			
Security			
Secure Locking System	●	●	●
Deprat Locking System	○		
Holiday Security Mode	●	●	○
Alarm 105db	●	●	○
Safety			
CE Marked	●	●	●
Safety Edge	●	●	○
Safety Photo Cell	○	○	○
Space Requirements & Options			
Headroom Required	250/300/350mm	205/250mm	150/165/180/205/250mm
Max. Over Guide Width	5200mm	3000mm	3000mm
Max. Top of Box Height	4000mm	3000mm	3000mm
Guide Rails	90mm/70mm	66mm	53mm/66mm
Curtain Slat Height	77mm	52mm	40mm
Internal Installation	●	●	●
External Installation	○	○	○
Full Box	○	○	○
Vision Slats	○		
Automation			
Remote Control	●	●	○
Remote Control Accessories	○	○	○
Smart Home Control	○	○	○
Internal Manual Override	●	●	●
External Manual Override	○	○	○
Warranty			
2yr Door, 5yr Motor, Controls*	●	●	●
10yr Textured Finishes	●	●	
5yr Smooth Finishes	●	●	●

- Supplied as standard
- Optional Extra

Excludes blubs, batteries & handsets



SPACE REQUIREMENTS

Vertic-al Classic

Headroom requirement

350mm Steel Head Plate
300mm Aluminium Head Plate
250mm Aluminium Head Plate

4000mm


3050mm

2000mm


Maximum headroom inclusive of head plates

Maximum door height for each head plate size


BEHIND



Guides




Standard for doors below 3000mm overall width



Standard for doors above 3000mm overall width

BETWEEN



Vertic-al Compact

Headroom requirement

250mm Aluminium
205mm Aluminium Head Plate


3000mm

2340mm


Maximum headroom inclusive of head plates

Maximum door height for each head plate size

IN FRONT



Guides



VERTIC-AL



Certificate of Guarantee

The Terms laid out below apply to all UK Doors Midlands Limited Roller Garage Door Products purchased for installation into strictly residential premises only in the UK, effective from 1st June 2020. These terms shall prevail or be in addition to any agreement between you, the residential customer, the installer and/or UK Doors Midlands Limited.

This guarantee is in addition to your legal rights for UK Doors Midlands Limited Garage Door products that may not be as described or be faulty. For advice about your legal rights, you can contact your local Trading Standards Office or Citizens Advice Bureau.

UK Doors Midlands Limited will replace any components of our products sold as UK Doors Midlands Limited roller doors ('the product') in the case where the manufacturing process has resulted in a defect occurring during a period of two years from the date of installation of the product, subject to expectations and conditions below.

Conditions of Guarantee

- (a) UK Doors Midlands Limited roller garage doors are guaranteed against any form of manufacturing defect for a period of 2 years from the date of original purchase subject to terms and exclusions detailed below.
- (b) UK Doors Midlands Limited roller garage doors exterior finish is guaranteed to provide an effective weatherproof layer which will resist damage of the substrate from the weather facing side due to corrosion for 5 years from installation. If all the inclusions within this guarantee are followed and with the consultation of the manufacturer of the door material the exterior finish is guaranteed for 5 years from installation. If a laminated coating has been applied, this guarantee will be extended by a further 5 years.
- (c) Tubular motors provided with the product are guaranteed against any form of manufacturing defect for a period of 5 years. Other electrical and mechanical elements within the control system are guaranteed for a period of 5 years as detailed in additional warranties below.

Guarantees for subject to the condition as set out below:

1. During the 2 year guarantee period for roller garage door products, UK Doors Midlands Limited and/or reasonable time in your installer undertake to repair or replace (at its discretion), and without charge, products or components which have suffered any form of manufacturing fault. Claims must be notified in writing within 3 days from the date of delivery or within a reasonable time frame after discovery of any defect.
2. Products covered by these guarantees must have been procured through an authorised UK Doors Midlands Limited garage door installer.
3. Any claims made under this guarantee must be via the original supplier, and supplemented by relevant documentation showing the date of purchase (e.g. receipt or invoice) and photographic evidence where.
4. This warranty shall apply for normal residential garage door use only. Normal use is defined as no more than 6 operations (open/close cycles) per day.
5. No liability will be accepted when issues are caused as a result of accidental or wilful damage, normal wear and tear, incorrect storage or handling, faulty installation or incorrect use.
6. The warranty offered is attached to the UK Doors Midlands Limited garage door product only and no consequential damages will apply no matter how caused.
7. UK Doors Midlands Limited maximum liability shall be the original purchase price, inclusive of Value Added Tax at the set rate at the time when the product was supplied.
8. Any products which is the subject of a claim:
 - i. Must have been installed correctly in accordance with the installation instructions supplied.
 - ii. Must have been maintained and serviced on an annual basis by a qualified UK Doors Midlands Limited Approved Service Engineer and the main tenance documented.
9. Claims will not be accepted where the cause is due to:
 - i. Accidental malicious damage, alterations made to the original product or incorrect use of the product.
 - ii. Discolouration or damage caused by contact with any form of abrasive or corrosive substance including but not limited to fire, smoke, flood water, fumes, animal droppings, acids, salts or excessive pollution.
 - iii. Damage incurred via mechanical items or impact during or following, e.g. indentations, scuffs, scratches dents or surface abrasions.

Replacement Parts

10. Only UK Doors Midlands Limited spare parts must be used if or when they are required. Any use on non-UK Doors Midlands Limited will invalidate the warranty and guarantee. The use of non-UK Doors Midlands Limited parts shall invalidate this guarantee. The warranty period for replacement parts is 6 months, or where the balance of the original warranty is greater, the balance of the original warranty.

Exterior Finish

11. The guarantee of the exterior finish applies only to the weather side surface, in cases where more than 5% of the surface area of the door is affected. The weather side surface must be exposed to rainfall to wash the surface and kept clean of dirt and debris. Consistent exposure to natural lighting conditions across the surface must be available across the weather side surface of the curtain. Marks and scratches on the surface material are considered normal, and therefore exempt from warranty.

Exclusions

12. The guarantee period for electric operator excludes batteries, fuses and light bulbs.
13. This guarantee excludes usual wear and tear on items such as end plate rollers, protective fir on boxes or brushes supplied in the guide.
14. Any parts replaced free of charge are property of UK Doors Midlands Limited and the faulty parts being replaced must be returned.
15. Attempts at repairs undertaken by non-qualified individuals will result in invalidating this guarantee.
16. UK Doors Midlands Limited and any other products sold by UK Doors Midlands Limited are subject to the UK Doors Midlands Limited standard terms and conditions of sale, copies of which are available upon request.
17. UK Doors Midlands Limited shall not be liable as a result of any representation, implied warranty or other term or condition or for any consequential loss or damage, costs, expenses or other claims whatsoever except as expressly set out in these terms and conditions.

WARRANTY:

The Vertic-al is covered by warranties for the periods stated below, subject to terms and conditions (available on request and supplied with every door) and regular maintenance.

2 year warranty on door components against manufacturing defect.



5 year warranty on smooth painted finishes.



5 year warranty on motor and controls excluding batteries, bulbs, & handsets



10 year warranty on textured laminated finishes.



Approved Distributor

UK
CA



VERTIC-AL